SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER:

ITEM NUMBER: 4100498

PRODUCT NAME: 110 Degreaser
 3 L: 410098

1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE OR USES ADVISED AGAINST

• IDENTIFIED USE: Cleaning and degreasing.

IDENTIFIED USERS:
 For sale to, use and storage by service persons only.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

MANUFACTURER/

SUPPLIER: Waxie's Enterprises, LLC, an Envoy Solutions Company

ADDRESS
 9353 Waxie Way; San Diego, CA 92123-1036

• BUSINESS PHONE: 1-800-995-4466

• EMERGENCY PHONE: 1-800-255-3924 (CHEMTEL; 24 hours)

1.4 OTHER PERTINENT INFORMATION

• This product is intended to be used only after dilution. The relevant hazard and safety data sheet are specified for both the <u>Product as SOLD</u> and <u>Product at USE DILUTION</u>, where appropriate.

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

OSHA/HCS Status Pr

Classification of the Substance or

Mixture

Product as SOLD

Acute toxicity, Oral (Category 4); Acute toxicity, Inhalation (Category 4); Acute toxicity, Dermal (Category 4); Skin corrosion (Category 1B); Serious eye

damage (Category 1))

Product at USE DILUTION (< 10%)

Skin irritation (Category 2); Serious eye irritation (Category 2A)

2.2 LABEL ELEMENTS:

ELEMENT

Hazard Pictograms

Product as SOLD





Signal Word DANGER.

Hazard Statements H302+312+332: Harmful if swallowed,

in contact with skin or if inhaled. H314: Causes severe skin burns and eye damage. H318: Causes serious eye

damage

Product at USE DILUTION (<10%)



WARNING.

H315: Causes skin irritation. H319: Causes serious eye irritation.

SECTION 2: HAZARDS IDENTIFICATION (Continued)

2.2 LABEL ELEMENTS (Continued):

ELEMENT	Product as SOLD	Product at USE DILUTION (<10%)		
Precautionary Statements				
Prevention Response	P102. Keep out of reach of children. P103: Read label before use. P261: Avoid breathing mist, vapors, or spray. P264: Wash exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated environment. P280: Wear protective gloves, protective clothing, and eye protection/face protection. P301+330+331: IF SWALLOWED: Rinse	P102. Keep out of reach of children. P103: Read label before use. P264: Wash exposed skin thoroughly after handling. P280: Wear protective gloves, protective clothing, and eye protection/face protection.		
	mouth. Do NOT induce vomiting. P303+361+353: IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF P304:340: INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. P310: Immediately call a POISON CENTER or doctor/physician. P363: Wash contaminated clothing before reuse.	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. P337+313: If eye irritation persists: Get medical advice/attention P302+352: IF ON SKIN: Wash with plenty of water. P332+313: If skin irritation occurs, get medical advice/attention. P362+364: Take off contaminated clothing and wash it before reuse.		
Storage	P406+235+410+403. Store in original plastic container, or a corrosive resistant container with a corrosive resistant inner liner, locked up in a cool, dry, well-ventilated place at room temperature away from direct sunlight. P404: Keep container tightly closed.	P410+403: Store in a cool dry place at room temperature away from direct sunlight. Triple rinse container and offer for recycling.		
Disposal	P501: Dispose of contents and container according to the local, city, state and federal regulations	P501: Dispose of contents and container according to the local, city, state and federal regulations		

2.3 OTHER PERTINENT DATA ON CHEMICAL AND PHYSICAL HAZARDS:

• May cause severe irritation of the respiratory tract if mists/sprays are inhaled. Ingestion of large quantities may cause irritation, ulceration, nausea, vomiting and can be fatal

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 **SUBSTANCES/MIXTURES**

COMPONENT	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR COMPONENT	% (w/w)		
Ethanol, 2-Butoxy	111-76-2	Flammable liquids (Category 4); Acute toxicity, Oral (Category 4); Acute toxicity, Inhalation (Category 4); Acute toxicity, Dermal (Category 4); Skin irritation (Category 2); Eye irritation (Category 2A)	Proprietary ¹		
Silicic acid (H2SiO3), Disodium salt	6834-92-0	Corrosive to metals (Category 1); Skin corrosion (Category 1B); Serious eye damage (Category 1; Specific target organ toxicity - single exposure (Category 3, Respiratory system)	Proprietary		
Potassium Hydroxide Solution	1310-58-3	Corrosive to metals (Category 1); Acute toxicity, Oral (Category 4); Skin corrosion (Category 1A); Serious eye damage (Category 1); Acute aquatic toxicity (Category 3)	Proprietary		
1-Amino-2- Propanol	78-96-6	Flammable liquids (Category 4); Acute toxicity, Oral (Category 4); Acute toxicity, Dermal (Category 4); Skin corrosion (Category 1B; Serious eye damage (Category 1)	Proprietary		
Other components that do not contribute physical or health hazards at the concentrations present in the solution.					

¹ The exact percentage of composition has been withheld as a trade secret. All relevant physical and health hazards have been declared, in accordance with regulatory requirements.

110 Degreaser
Product AS SOLD and IN USE DILUTION

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

AREA EXPOSED <u>Product as SOLD</u>

Eye Contact Flush with copious amounts of water for

15 minutes. "Roll" eyes during flush. Seek medical attention immediately.

Skin Contact Flush area with warm, running water for

several minutes. Seek medical

attention if irritation persists.

Inhalation Obtain fresh air.

Ingestion If conscious only: Rinse mouth with

water. Do not induce vomiting. Contact a Poison Control Center or physician for

instructions.

Other Recommendations Wash clothing before reuse.

Product at USE DILUTION (<10%)

Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention if irritation persists.

Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.

Obtain fresh air.

If conscious only: Rinse mouth with water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.

4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

• ACUTE HEALTH EFFECTS:

AREA EXPOSED Product as SOLD

Eye Contact Corrosive to eye tissue; contact will

cause pain, redness, and tissue damage. Chemical burns and blindness

may occur.

Skin Contact Corrosive to skin tissue; contact will

cause pain, redness, and tissue damage. Chemical burns may occur.

Inhalation Inhalation of sprays, mists may cause

coughing, nasal congestion and sore

throat.

Ingestion Corrosive and may cause severe and

permanent damage to mouth, throat, and stomach. May be fatal if

swallowed.

• CHRONIC HEALTH EFFECTS:

Product as SOLD

Due to the presence of 2-Butoxyethanol, prolonged or repeated inhalation or ingestion may affect the liver, blood (potentially causing anemia), kidneys, metabolism and endocrine system (spleen, thymus,

pancreas).

TARGET ORGANS:

Product as SOLD

Eyes, Skin.

Product at USE DILUTION (<10%)

Diluted product is not anticipated to cause adverse effects under typical circumstances if first aid is rendered

promptly.

May cause moderate to serious eye irritation, depending on duration of

exposure.

May cause mild to moderate skin

irritation.

Can cause mild to severe irritation of membranes of nose, mouth, throat.

Can cause severe irritation of

gastrointestinal system.

Product at USE DILUTION (<10%)

None reported.

Product at USE DILUTION (<10%)

Skin, eyes.

4.3 <u>INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED</u>

The following information is for both Product AS SOLD and Product at USE DILUTION.

- **GENERAL INFORMATION:** For all exposures: In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- RECOMMENDATIONS TO PHYSICIANS: Treat symptomatically.
- MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: None reported.

SECTION 5: FIREFIGHTING MEASURES

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

5.1 **EXTINGUISHING MEDIA**

- RECOMMENDED FIRE EXTINGUISHING MEDIA: Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, or any other.
- UNSUITABLE FIRE EXTINGUISHING MEDIA: None known.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

NFPA FLAMMABILITY CLASSIFICATION:

Classification **Product as SOLD**

NFPA Rating

NFPA Classification Not flammable. Corrosive.

UNUSUAL HAZARDS IN FIRE SITUATIONS:

Product as SOLD

Decomposition Generates caustic vapors and oxides of

sodium and nitrogen, carbon monoxide

and carbon dioxide.

Explosion Sensitivity to Mechanical Impact

Explosion Sensitivity to

Static Discharge

Not applicable.

Not applicable.

Product at USE DILUTION (<10%)



Not flammable.

Product at USE DILUTION (<10%

Generates caustic vapors and oxides of sodium, carbon monoxide and carbon dioxide.

Not applicable.

Not applicable.

5.3 ADVICE FOR FIREFIGHTERS

Self-Contained Breathing Apparatus and full protective equipment for fire response should be worn in any situation. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Because of the nature of this product, any equipment that comes in contact with this solution can be rinsed thoroughly with water and then returned to service.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES 6.1

- RESPONSE TO INCIDENTAL RELEASES: Personnel who have received basic chemical safety training can generally handle small-scale releases. Gloves and safety glasses must be worn when cleaning-up spills. Use caution during clean-up; contaminated floors and items may be slippery.
- **RESPONSE TO NON-INCIDENTAL RELEASES:** Generally, releases of this product will be no larger than the loss of one shipment of material. Subsequently, personnel can follow the instructions for incidental releases. As needed, respond to non-incidental chemical releases of this product (such as the simultaneous destruction of several pallets of this product) by clearing the impacted area and contacting appropriate emergency personnel.

In the unlikely event of a 55-gallon or multi-container release of the PRODUCT AS SOLD, and there is no other hazardous condition in the area, the use of an air-purifying respirator with high-efficiency particulate filter cartridge, face-shield, safety glasses, and double gloves (e.g., nitrile over latex gloves), and body protection is recommended if splashes/sprays/mists can be generated during clean-up or the concentration of vapors is high. Use Self-Contained Breathing Apparatus if concentration of oxygen is less than 19.5% or is unknown.

SECTION 6: ACCIDENTAL RELEASE MEASURES (Continued)

RESPONSE PROCEDURES FOR ANY RELEASE: Absorb spilled liquid with polypads or other suitable absorbent materials. If appropriate, neutralize contaminated area and equipment with base neutralizing agent. Rinse contaminated items and area thoroughly. Confirm that neutralization/decontamination is complete by testing with pH paper.

6.2 **ENVIORNMENTAL PRECAUTIONS**

Avoid response actions that can cause a release of a significant amount of the substance (more than one. 5-gallon container) into the environment. Avoid accidental dispersal of spilled material into soil, waterways and sewers.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

SPILL RESPONSE EQUIPMENT: Polypad or other absorbent material; base neutralizing agent; pH paper.

6.4 REFERENCES TO OTHER SECTIONS

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- **SECTION 13:** For waste handling guidelines.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

D			~~	SOL	\mathbf{r}
	I OU	ucı	as	SUL	

Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.

Handling Practices

Storage Practices

Hygiene Practices

Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

Product at USE DILUTION (<10%)

Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.

Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Product as SOLD

Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product Inspect all chemicals containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual liquid; therefore, empty containers should be handled with care.

Incompatibilities

away from incompatible incoming

See Section 10 (Stability Reactivity).

Product at USE DILUTION (<10%)

Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals.

Section (Stability Reactivity).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **CONTROL PARAMETERS**

U.S. NATIONAL EXPOSURE LIMITS:

COMPONENT	ACGIH TLV	OSHA PEL	NIOSH REL	OTHER	
Potassium Hydroxide	C = 2ppm	NE	C = 5 ppm	CA PEL: C = 5 ppm	
2-Butoxyethanol	TWA = 20 ppm	TWA = 50 ppm (Skin) TWA = 5 ppm (Skin)		CA PEL: TWA = 20 ppm NIOSH IDLH: 700 ppm	

- BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS: The following BEIs have been established for components of this product.
 - 2-BUTOXYETHANOL: Butoxyacetic Acid (BAA) in Urine; End of Shift; 200 mg/g creatinine

8.2 **EXPOSURE CONTROLS**

PRODUCT AS SOLD

Engineering Controls Use in well-ventilated environment.

Respiratory Protection None needed in normal circumstances of use.

Hand Protection Neoprene, PVC, or butyl gloves are recommended if there is a potential for skin

contact. Ensure gloves are intact prior to use.

Eve Protection Safety glasses, if splashes/sprays can occur when using.

None needed in normal circumstances of use. **Body Protection**

IN USE DILUTION

Personal Precautions Use in well-ventilated environment. No personal protection is typically required for

most circumstances of use. If there is a possibility for extended periods of use of this product, or larger than normal volumes, refer to Recommendations for Use

information above.

8.3 PERSONAL PROTECTION SYMBOLS

Product as SOLD

Hand Protection skin contact is anticipated)

Eye Protection

(If splashes or sprays can

occur)





Product at USE DILUTION

No gloves required.

Not determined.

Not determined.

No eye protection required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Product as SOLD Product at USE DILUTION (<10%) Purple liquid. Colorless to very light purple. **Appearance** Slight solvent Odor Mild, solvent. **Odor Threshold** Not determined. Not determined. рΗ < 12.5 < 11.5 **Melting Point/Freezing Point** Not determined. Approx. 0°C (32 °F). Initial Boiling Point/Boiling >99°C (210 °F). Approximately100°C (212°F). Range Flash Point Not applicable. Not applicable. **Evaporation Rate (Water = 1)** Approx. 1.0. Approx. 1.0. **Flammability** Not applicable. Not applicable. **Upper/Lower Explosive Limits** Not applicable. Not applicable. Vapor Pressure Not determined. Not determined. **Vapor Density** Not determined. Not determined. **Relative Density (Density)** 1.042 (8.69 lb./gal). Approx. 1.0. (8.34 lb./gal) Solubility Completely soluble in water. Completely soluble in water. Partition Coefficient/n-Not determined. Not determined. octanol/water **Autoignition Temperature** Not applicable. Not applicable.

110 Degreaser Product AS SOLD and IN USE DILUTION

Viscosity

Decomposition Temperature

Waxie's Enterprises, LLC, an Envoy Solutions Company Page 6 of 22

Not determined.

Not determined.

SAFETY DATA SHEET November 11, 2021

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Continued)

9.2 OTHER INFORMATION

- VOC (less water & exempt): 73 G/L
- WEIGHT% VOC: 7.3%.

SECTION 10: STABILITY AND REACTIVITY

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

10.1 REACTIVITY

Not reactive under typical conditions of use or handling.

10.2 CHEMICAL STABILITY

Normally stable under standard temperatures and pressures.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive, water-reactive, or air-reactive.
- This product will not undergo hazardous polymerization.

10.4 CONDITIONS TO AVOID

Avoid contact with incompatible chemicals.

10.5 **INCOMPATIBLE MATERIALS**

Strong oxidizing agents, strong acids, water reactive material, aluminum and soft metals; lead; tin and tin oxides.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Products of thermal decomposition of this product include caustic vapors, carbon monoxide, carbon dioxide, and oxides
of potassium and nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

- ACUTE TOXICITY:
 - PRODUCT TOXICITY DATA:
 - Acute Toxicity Estimate (Oral): 300-2000 mg/kg
 - Acute Toxicity Estimate (Dermal): 1000-2000 mg/kg
 - TOXICOLOGY DATA: The following data are available for the hazardous components in this product listed in Section 3 (Composition/Information on Ingredients).

POTASSIUM HYDROXIDE

LD50 (Oral, Rat) = 330 mg/kg

1-AMINO-2-PROPANOL

LD50 (Oral, Rat) = 1715 mg/kg LD50 (Skin, Rabbit) = 1573 mg/kg

2-BUTOXYETHANOL

LD50 (Oral, Rat) = 470 mg/kg

LC50 (Inhalation, Rat) = 4 hours/- 450 ppm

LD50 (Dermal, Rabbit) = 220 mg/kg

LD50 (Intraperitoneal, Rat) = 220 mg/kg

LD50 (Intravenous, Rat) = 307 mg/kg

SILICIC ACID (H2SIO3), DISODIUM SALT

 LD_{50} (Oral, Rat) = 1,152-1,349 mg/kg

TDLo (Oral, Man) = 1 mL/Kg

 DEGREE OF IRRITATION: Causes severe skin burns and eye damage. The following data are available for components of this product.

POTASSIUM HYDROXIDE

Skin, Rabbit; Severe skin irritation - 24 hours Eyes, Rabbit; Result: Corrosive to eyes

1-AMINO-2-PROPANOL

Skin, Rabbit; Mild skin irritation - 24 hours Eyes, Rabbit; Result: Severe eye irritation, 24 hours

SILICIC ACID (H2SIO3), DISODIUM SALT

Eyes, Rabbit = Corrosive/4 hours Skin, Rabbit – Mild Irritant

SECTION 11: TOXICOLOGICAL INFORMATION

- SENSITIZATION: The components of this product are not reported to have skin or respiratory sensitization effects.
- REVIEW OF ACUTE SYMPTOMS AND EFFECTS BY ROUTE OF EXPOSURE: See Section 2 (Hazards Information) and Section 4 (First-Aid Measures) for additional details.

See Section 4 (First-Aid Measures) for more details.	Product as SOLD	Product at USE DILUTION <10%)		
Eyes	May cause moderate to severe eye irritation and chemical burns.	May cause moderate to serious eye irritation, depending on duration of exposure.		
Skin	May cause moderate to severe skin irritation, and chemical burns.	May cause mild to moderate skir irritation.		
Inhalation	Causes mild to severe irritation of membranes of nose, mouth, throat.	Can cause mild to severe irritation membranes of nose, mouth, throat.		
Ingestion	Causes severe irritation and chemical burns of gastrointestinal system. May be fatal if swallowed.	Can cause severe irritation of gastrointestinal system.		

• CHRONIC TOXICITY:

CARCINOGENICITY STATUS: The following table summarizes the carcinogenicity listing for the components
of this product. "NO" indicates that the substance is not considered to be, or suspected to be, a carcinogen
by the listed agency.

CHEMICAL	IARC	NTP	NIOSH	OSHA	OTHER
2-Butoxyethanol	NO	NO	NO	NO	IARC-3: Unclassifiable as to Carcinogenicity in Humans; TLV-3: Confirmed Animal Carcinogen

- REPRODUCTIVE TOXICITY INFORMATION: The components of this product are not reported to cause reproductive effects under typical circumstances of exposure. The following reproductive toxicity data are available for components of this product:
 - 2-BUTOXYETHANOL: Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.
 May cause adverse reproductive effects (maternal and paternal fertility, fetoxicity) based on animal data. May cause birth defects (teratogenic) based on animal data.
- MUTAGENIC EFFECTS The components of this product are not reported to cause mutagenic effects under typical circumstances of exposure.
- SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE: Not applicable.
- SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE: Not applicable.
- ASPIRATION HAZARD: Not applicable.

OTHER INFORMATION

- o TOXICOLOGICALLY SYNERGISTIC PRODUCTS: None known.
- ADDITIONAL TOXICOLOGY: Not applicable.

SECTION 12: ECOLOGICAL INFORMATION

Unless stated, information in this section is for both Product as SOLD and Product at USE DILUTION.

12.1 TOXICITY

 Based on available data, this product is anticipated to be harmful or fatal to contaminated terrestrial plants or animals. The following aquatic toxicity data are available for components of this product:

POTASSIUM HYDROXIDE

LC50 (Gambusia affinis): 80 mg/l - 96 hours

1-AMINO-2-PROPANOL

LC50 (Carassius auratus): 210 mg/l - 96 hours

2-BUTOXYETHANOL

LC50 - other fish: 220 mg/L - 96 hours EC50 (Daphnia magna): 1,815 mg/L - 24 hours

SILICIC ACID (H2SIO3), DISODIUM SALT

LC50 (Danio rerio) - 210 mg/L - 96 hours LC50 - other fish: 220 mg/L - 96 hours EC50 (Daphnia magna): 1,815 mg/L - 24 hours

SECTION 12: ECOLOGICAL INFORMATION (Continued)

12.2 PERSISTENCE AND DEGRADABILITY

• When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

12.3 BIOACCUMULATIVE POTENTIAL

This product is not anticipated to bioaccumulate significantly.

12.4 MOBILITY IN SOIL

• It is expected this product will have small mobility in soil. Some of the components may get into the soil and, ultimately, the ground water. Product spreads on the water surface.

12.5 OTHER ADVERSE EFFECTS

· None reported.

SECTION 13: DISPOSAL CONSIDERATION

13.1 WASTE TREATMENT METHODS

Product as SOLD

Dispose of in accordance with local, State and Federal regulations.

Product at USE DILUTION

Dispose of unused product in accordance with local, State and Federal regulations.

13.2 <u>DISPOSAL CONSIDERATIONS</u>

EPA RCRA WASTE CODE: D002; applicable to wastes consisting only of this product.

SECTION 14: TRANSPORT INFORMATION

Information in this section is for Product as SOLD.

14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
This product is packaged in Limited Quantity volumes. Follow requirements in 49 CFR 153.154			Limited Quantity	Not Applicable	Nor Applicable	

- CANADIAN TRANSPORTATION INFORMATION: This product is regulated by Transport Canada as dangerous goods under Canadian transportation standards. Refer to above information.
- IATA DESIGNATION: This product is regulated as dangerous goods by the International Air Transport Association. Follow guidance in IATA Dangerous Good Regulations, Section 2.7:
- **IMO DESIGNATION**: This product is regulated as dangerous goods by the International Maritime Organization. Follow guidance in IMO International Maritime Dangerous Goods Code, Section 3.4.

14.2 ENVIRONMENTAL HAZARDS

None described, as related to transportation.

14.3 **SPECIAL PRECAUTIONS FOR USERS**

Not applicable.

14.4 TRANSPORT IN BULK

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1: SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

- OTHER IMPORTANT U.S. REGULATIONS
 - U.S. SARA THRESHOLD PLANNING QUANTITY: Not applicable.
 - U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21): Acute Toxicity; Skin Corrosion/Irritation; Serious Eye Damage/Irritation.
 - U.S. CERCLA REPORTABLE QUANTITY (RQ): Potassium Hydroxide = 1000 lb. (454 mg/kg.
 - U.S. TSCA INVENTORY STATUS: All components of this product are listed on the TSCA Inventory.
 - U.S. SARA 313: 2-Butoxyethanol (under the Glycol Ether Category) is subject to the reporting requirements of SARA Title III Section 313.
 - CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS: Not applicable.

• INTERNATIONAL REGULATIONS

- CANADIAN REGULATORY STATUS: CANADIAN REGULATORY STATUS: The product is classified as hazardous under Hazardous Products Regulations (SOR-2015-17).
 - WHMIS 2015: See section 2.
 - This SDS contains all the information required by the HPR.
- CANADIAN DSL/NDSL INVENTORY STATUS: The listed components of this product are on the DSL/NDSL Inventory.
- CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITY SUBSTANCES LISTS: The components of this product are not on the CEPA Priority Substances Lists.

SECTION 16: OTHER INFORMATION

16.1: INDICATION OF CHANGE

- DATE OF REVISION: November 11, 2021
- SUPERCEDES: April 27, 2015
- **CHANGE INDICATED:** Update of manufacturer information, addition of H/P Codes; regulatory review and update; establishing distinction between professional and consumer use personal protective equipment.

16.2: KEY LITERATURE REFERENCES AND SOURCES FOR DATA

- SAFETY DATA SHEETS FOR COMPONENT PRODUCTS.
- Federal OSHA Hazard Communication Standard: 29 CFR 1910.1200.

16.3 HAZARDOUS MATERIALS CLASSIFICATION SYSTEM

Product as SOLD			Product at USE	<u> DILUTION</u>	
Health	2	HMIS Personal	Health	1	HMIS Personal Protective
Flammability	0	Protective Equipment Rating: Occupational	Flammability	0	Equipment Rating: Occupational Use
Physical Hazard	0	Use situations: B- Safety glasses and gloves, if	Physical Hazard	0	situations: No protective equipment is needed
Protective Equipment	В	splashes/sprays can be generated.	Protective Equipment	Not applicable.	under normal circumstances of use and handling.

16.4 <u>DISCLAIMER</u>

Waxie's Enterprises, LLC, an Envoy Solutions Company (WAXIE), makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by WAXIE as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does WAXIE assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. WAXIE does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

SECTION 16: OTHER INFORMATION (Continued)

16.5 ABBREVIATIONS AND ACRONYMS

ALL SECTIONS: OSHA: U.S. Federal Occupational Safety and Health Administration. WHMIS: Canadian Workplace Hazardous Materials Standard. GHS: Globally Harmonized System of Classification of Chemical Substances.

SECTION 3: <u>CAS Number</u>: Chemical Abstract Service Number, which is used by the American Chemical Society to uniquely identify a chemical.

SECTION 5: NFPA: National Fire Protection Association. NFPA FLAMMABILITY CLASSIFICATION: The NFPA uses the flash point (FI.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: FI.P. below 73°F and BP below 100°F. Class IB: FI.P. below 73°F and BP at or above 100°F. Class IC: FI.P. at or above 73°F and BP at or above 100°F. Class II: FI.P. at or above 100°F and below 140°F. Class IIIA: FI.P. at or above 140°F and below 200°F. Class IIIB: FI.P. at or above 200°F. NFPA HAZARDOUS MATERIALS RATING: This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

SECTION 8: <u>NE</u>: Not established. <u>ACGIH</u>: American Conference of Government Industrial Hygienists; <u>TWA</u>: Time-Weighted Average (over an 8-hour work day); <u>STEL</u>: Short-Term Exposure Limit (15-minute average, no more than 4-times daily and each exposure separated by one-hour minimally); <u>C</u>: Ceiling Limit (concentration not to be exceeded in a work environment). <u>PEL</u>: Permissible Exposure Limit. <u>NIOSH</u>: National Institute of Occupational Safety and Health; <u>REL</u>: Recommended Exposure Limit. <u>ppm</u>: Parts per Million <u>mg/m</u>³. Milligrams per cubic meter. <u>mppcf</u>: Millions of Particles per Cubic Foot. <u>BEI</u>: Biological Exposure Limit. <u>CA</u>: California - TABLE AC-1 Permissible Exposure Limits for Airborne Contaminants

SECTION 9: <u>pH</u>: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. <u>FLASH POINT</u>: Temperature at which a liquid generates enough flammable vapors so that ignition may occur. <u>AUTOIGNITION TEMPERATURE</u>: Temperature at which spontaneous ignition occurs. <u>LOWER EXPLOSIVE LIMIT (LEL)</u>: The minimal concentration of flammable vapors in air which will sustain ignition. <u>UPPER EXPLOSIVE LIMIT (UEL)</u>: The maximum concentration of flammable vapors in air which will sustain ignition. ≈: Approximately symbol. <u>VOC</u>: Volatile Organic Compound.

SECTION 11: CARCINOGENICITY STATUS: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. REPRODUCTIVE TOXICITY INFORMATION: Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. TOXICOLOGY DATA: LDxx or LCxx: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to assess the toxicity of chemical substances to humans. TDxx or TCxx: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

SECTION 12: <u>EC50</u>: Effect Concentration (on 50% of study group); <u>BOD</u>: Biological Oxygen Demand. <u>COD</u>: Chemical Oxygen Demand. <u>TLM</u>: Median Tolerance Limit.

SECTION 13: <u>RCRA</u>: Resource Conservation and Recovery Act. The regulations promulgated under this Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. <u>EPA RCRA Waste Codes</u>: Defined in 40 CFR Section 261.

SECTION 15: <u>CERCLA</u>: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and <u>SARA</u>: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff. and provide "community right-to-know" requirements. <u>TSCA</u>: Toxic Substances Control Act: Rules regulating the manufacture and sale of chemicals found in 40 CFR 700-766. <u>DSL/NDSL</u>: Canadian Domestic Substances and Non-Domestic Substances Lists.

SECTION 16: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM RATING: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.

.